

Safety Data Sheet
acc. to OSHA HCS

Printing Date 09/01/2015

Revision Number 1


Revision Date 09/01/2015

1 Identification

- **Product identifier**
- **Trade name:** *WS-8020 RC B-4 Base*
- **Relevant identified uses of the substance or mixture.** *Sealant*
- **Application of the substance / the mixture** *Sealant*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
*Royal Adhesives & Sealants
800 E. Anaheim Street
Wilmington, CA 90744
(310) 830-9904*
- **Information department:** *Environment protection department.*
- **Emergency telephone number:**
*ChemTrec: Day or Night within USA and Canada: 1-800-424-9300.
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)*

2 Hazard(s) identification

- **Classification of the substance or mixture**
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

 - **Label elements**
 - **GHS label elements** *The product is classified and labeled according to the Globally Harmonized System (GHS).*
 - **Hazard pictograms** *Void*
 - **Signal word** *Void*
 - **Hazard statements**
Harmful to aquatic life with long lasting effects.
 - **Precautionary statements**
*Avoid release to the environment.
Dispose of contents/container in accordance with local/regional/national/international regulations.*
 - **Classification system:**
 - **NFPA ratings (scale 0 - 4)**
- 

Health = 1
Fire = 1
Reactivity = 0
- **HMIS-ratings (scale 0 - 4)**
- | | | |
|-----------------|---|---------------------|
| HEALTH | 1 | Health = 1 |
| FIRE | 1 | Fire = 1 |
| PHYSICAL HAZARD | 0 | Physical Hazard = 0 |
- **Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** *Not applicable.*
 - **vPvB:** *Not applicable.*

Safety Data Sheet

acc. to OSHA HCS

Printing Date 09/01/2015

Revision Number 1

Revision Date 09/01/2015

Trade name: WS-8020 RC B-4 Base

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description: Mixture**

- **Hazardous components:**

68611-50-7	Polysulphide Polymer	50-100%
68611-50-7	Polysulphide Elastomer	5-20%
471-34-1	calcium carbonate	5-20%
13463-67-7	titanium dioxide	2.5-10%
108-95-2	phenol	≤0.5%
95-48-7	o-cresol	≤0.09%
50-00-0	formaldehyde	≤0.03%

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:**
Supply fresh air or oxygen; call for doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Seek medical treatment.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray.
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Protective clothing and respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste in accordance with federal state and local regulations.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing Date 09/01/2015

Revision Number 1

Revision Date 09/01/2015

Trade name: WS-8020 RC B-4 Base

(Contd. of page 2)

See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location away from direct heat.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· Components with limit values that require monitoring at the workplace:

471-34-1 calcium carbonate

PEL Long-term value: 15* 5** mg/m³
*total dust **respirable fraction

REL Long-term value: 10* 5** mg/m³
*total dust **respirable fraction

TLV TLV withdrawn

13463-67-7 titanium dioxide

PEL Long-term value: 15* mg/m³
*total dust

REL See Pocket Guide App. A

TLV Long-term value: 10 mg/m³
withdrawn from NIC

108-95-2 phenol

PEL Long-term value: 19 mg/m³, 5 ppm
Skin

REL Long-term value: 19 mg/m³, 5 ppm
Ceiling limit value: 60* mg/m³, 15.6* ppm
*15-min; Skin

TLV Long-term value: 19 mg/m³, 5 ppm
Skin; BEI

95-48-7 o-cresol

PEL Long-term value: 22 mg/m³, 5 ppm
Skin

REL Long-term value: 10 mg/m³, 2.3 ppm

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing Date 09/01/2015

Revision Number 1

Revision Date 09/01/2015

Trade name: WS-8020 RC B-4 Base

(Contd. of page 3)

TLV	Long-term value: 20* mg/m ³ Skin; *as inhalable fraction and vapor
50-00-0 formaldehyde	
PEL	Short-term value: 2 ppm Long-term value: 0.75 ppm see 29 CFR 1910.1048(c)
REL	Long-term value: 0.016 ppm Ceiling limit value: 0.1* ppm *15-min; See Pocket Guide App. A
TLV	Ceiling limit value: 0.37 mg/m ³ , 0.3 ppm DSEN; RSEN

· **Ingredients with biological limit values:**

108-95-2 phenol

BEI	250 mg/g creatinine Medium: urine Time: end of shift Parameter: Phenol with hydrolysis (background, nonspecific)
-----	---

· **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
- **Personal protective equipment (see listings below)**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**
Nitrile rubber, NBR
Chloroprene rubber, CR
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses with side shields.
- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Paste
Color:	Whitish
Odor:	Characteristic

(Contd. on page 5)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing Date 09/01/2015

Revision Number 1

Revision Date 09/01/2015

Trade name: WS-8020 RC B-4 Base

(Contd. of page 4)

- | | |
|--|---------------------|
| · Change in condition | |
| Melting point: | Undetermined. |
| Boiling point: | > 100 °C (> 212 °F) |
| Flash point: | > 100 °C (> 212 °F) |
| · Auto igniting: Product is not selfigniting. | |
| · Danger of explosion: Product does not present an explosion hazard. | |
| · Specific gravity at 20 °C (68 °F): 1.4 g/cm ³ (11.683 lbs/gal) | |
| · Solubility in / Miscibility with Water: Not miscible or difficult to mix. | |
| · Solvent content: | |
| Solids content: | not available |
| · Other information No further relevant information available. | |

* 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Avoid high temperatures. Avoid freezing.
- **Incompatible materials:** Reacts with strong oxidizing agents.
- **Hazardous decomposition products:**
Carbon Dioxide and Carbon Monoxide. Oxides of Sulphur. Trace amounts of Formaldehyde, Phenol, Hydrogen Sulphide.

* 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** May irritate the skin.
- **on the eye:** May irritate the eye.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

13463-67-7	titanium dioxide	2B
108-95-2	phenol	3
50-00-0	formaldehyde	1

· NTP (National Toxicology Program)

50-00-0	formaldehyde	R
---------	--------------	---

· OSHA-Ca (Occupational Safety & Health Administration)

50-00-0	formaldehyde	
---------	--------------	--

USA

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing Date 09/01/2015

Revision Number 1

Revision Date 09/01/2015

Trade name: WS-8020 RC B-4 Base

(Contd. of page 5)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:** At present there are no ecotoxicological assessments.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must be specially treated adhering to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**
 · **DOT, ADR, ADN, IMDG, IATA** not regulated

· **UN proper shipping name**
 · **DOT, ADR, ADN, IMDG, IATA** not regulated

· **Transport hazard class(es)**
 · **DOT, ADN**
 · **Class** not regulated

· **ADR, IMDG, IATA**
 · **Class** not regulated
 Not Regulated

· **Packing group**
 · **DOT, ADR, IMDG, IATA** not regulated

· **Environmental hazards:** Not applicable.
 · **Marine pollutant:** Yes (DOT)

· **Special precautions for user** Not applicable.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:** Not dangerous according to the above specifications.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing Date 09/01/2015

Revision Number 1

Revision Date 09/01/2015

Trade name: WS-8020 RC B-4 Base

(Contd. of page 6)

· UN "Model Regulation": -

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

108-95-2	phenol
95-48-7	o-cresol
50-00-0	formaldehyde

· Section 313 (Specific toxic chemical listings):

108-95-2	phenol
95-48-7	o-cresol
50-00-0	formaldehyde

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· Proposition 65

· Chemicals known to cause cancer:

50-00-0	formaldehyde
---------	--------------

· Chemicals known to cause reproductive toxicity:

None of the ingredients is listed.

· (DSL) Canada Domestic Substance List

All components of this product are on the DSL (Canada Domestic Substance list) or are exempt from DSL requirements.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

108-95-2	phenol	I
95-48-7	o-cresol	C
50-00-0	formaldehyde	B1

· TLV (Threshold Limit Value established by ACGIH)

13463-67-7	titanium dioxide	A4
108-95-2	phenol	A4
50-00-0	formaldehyde	A2

· MAK (German Maximum Workplace Concentration)

13463-67-7	titanium dioxide	3A
108-95-2	phenol	3B
95-48-7	o-cresol	3A
50-00-0	formaldehyde	4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

13463-67-7	titanium dioxide
50-00-0	formaldehyde

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing Date 09/01/2015

Revision Number 1

Revision Date 09/01/2015

Trade name: WS-8020 RC B-4 Base

(Contd. of page 7)

- **National regulations:**
- **Water hazard class:** Water hazard class 3 (Self-assessment): extremely hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

* 16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

· **Department issuing SDS:** Environment protection department.

· **Creation Date:** 07/22/2011

· **Date of preparation / last revision** 09/01/2015 / -

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

USA